


Outline and Specifications VLC series•VSC series

Part names

VLC50•200/VSC70•200




Specifications

Size	Unit	Loop controller without leveller		Loop controller with leveller	
		VLC50	VLC200	VSC70	VSC200
Material width	mm	5~50	20~200	20~70	20~200
Material thickness	mm	0.15~1.0		0.15~0.5	
Pinch roll diameter	mm	Drive:φ60 Follower:φ40	Drive:φ60 Follower:φ70	Drive:φ45 Follower:φ45	
Leveller roll diameter	mm	—		φ30 (upper 4 pieces/lower 5 pieces)	
Maximum feed rate	m/min	150			
Lubrication (gear section)	—	Molynock Grease AP2		Omega 77	
Air pressure used	MPa	0.4~0.5			
Paint color	—	Head:N1.5(black)		Head:N1.5(black)	
		Frame section:N9(white)			
Product weight	kg	230	245	263	295

Outline and Specifications VLC series·VSC series

Part names





Specifications

Size	Unit	Loop controller without leveller		Loop controller with leveller	
		VLC450	VLC650	VSC450	VSC650
Material width	mm	150~450	150~650	150~450	150~650
Material thickness	mm	0.15~0.5			
Pinch roll diameter	mm	Drive:φ95 Follower:φ68		Drive:φ70 Follower:φ70	
Leveller roll diameter	mm	—		φ30 (upper 5 pieces/lower 6 pieces)	
Maximum feed rate	m/min	120			
Lubrication (gear section)	—	Mobilgear Oil 600XP320		Molynock Grease AP2	
Air pressure used	MPa	0.4~0.5			
Paint color	—	Head:Black anodized		Head:N1.5(black)	
		Frame section:N9(白)			
Product weight	kg	716	734	859	824

Material Loop VLC series·VSC series


Part names





Dimensions VLC series

VLC50•200 dimensions

[Unit:mm]



Sectional view X-X






Dimensions

Model	VLC50	VLC200
A	607	670
B	662	897

VLC450•650 dimensions

[Unit:mm]




Dimensions

Model	VLC450	VLC650
A	840	940
B	1237	1437



Dimensions VSC series

VSC70•200 dimensions

[Unit:mm]



Sectional view X-X




Dimensions



Model	VSC70	VSC200
A	647	717
B	805	944

VSC450•650 dimensions

[Unit:mm]



Sectional view X-X




Dimensions

Model	VSC450	VSC650
A	840	940
B	1254	1454

Outline and Specifications VZA series·VZC series

Part names




Specifications

Size	Unit	Loop controller without leveller		Loop controller with leveller	
		VZA450	VZA650	VZC450	VZC650
Material width	mm	150~450	150~650	150~450	150~650
Material thickness	mm	0.15~0.5			
Pinch roll diameter	mm	Drive:φ95 ·Follower:φ68			
Pinch roll diameter	mm	Drive:φ95 ·Follower:φ68		Drive:φ70 ·Follower:φ70	
Leveller roll diameter	mm	—		φ35 (upper 5 pieces/lower 6 pieces)	
Maximum feed rate	m/min	120			
Lubrication (gear section)	—	Mobilgear Oil 600XP320		Molynock Grease AP2	
Air pressure used	MPa	0.4~0.5			
Paint color	—	Head:Black anodized		Head:N1.5 (black)	
		Frame section:N9 (white)			
Product weight	kg	2210	2380	2345	2550

Dimensions VZA series

VZA450-650 dimensions

[Unit:mm]




Dimensions

Model	VZA450	VZA650
A	1170	1270
B	2135	2335

Dimensions VZC series

VZC450-650 dimensions

[Unit:mm]



Dimensions

Model	VZC450	VZC650
A	1170	1270
B	2135	2335